



®SOLARIS™

BASIC ROLLER SYSTEM

When simple, practical functionality is required, or where there is a tight budget, Solaris roller shades will fit the bill

OVERVIEW

- Basic chain-operated system
- 5 year warranty
- Sizes up to 3m wide, 3m drop, 6m²

SYSTEM DETAILS

Solaris roller blinds are simple manually-operated shades. Featuring the classic 32mm, 40mm and 45mm aluminium roller tubes with chain mechanisms to suit.

This system has sturdy steel brackets and a springloaded bearing. Exposed aluminium or concealed hembar options are available.

Side guidewires can be added if required.

USES & APPLICATIONS

The spring-loaded bearing makes it fast install and Solaris is ideally suited to contracts with large numbers of manual blinds.

Solaris is not a compromise on quality, featuring high-quality British-made mechanisms for smooth and reliable operation.

Our full range of fabrics can be used on the Solaris system to create your required level of shading.



®SOLARIS™

ROLLER SHADE FEATURES





METAL BRACKETS

- 1.5mm Steel Brackets
- White painted finish




EXTRUDED ALUMINIUM ROLLERS

- 32mm, 40mm & 45mm diameter
- Appropriate size selected for blind size/weight



SPRING LOADED

- Quick & easy fitting
- Allows for some size variation



HEMBAR OPTIONS



- Type 2 -Teardrop shape aluminium
- PK-S Sealed Fabric Pocket
- Custom Options

GUIDEWIRES



- guidewires

 Guides the blind hem bar
- Prevents the blind swinging with air movement
- Can be used on shallow slopes

FABRIC OPTIONS



- Dimout fabrics for light filtering and privacy
- Blackout fabrics for room darkening





SELECT YOUR SYSTEM

See Systems Overview brochure for more information

